

Bridge

Technical details


- Luminaire for wall fixing, complete with Ø150/200/250mm spherical diffuser
- A2 stainless steel screws

Diffuser

- Non yellowing white PMMA (acrylic) diffuser

Bracket

- Reinforced thermoplastic bracket



Dimensions	Power	White	
Ø150mm	max 8W - E27	1303.001B	1
Ø200mm	max 15W - E27	1303.101B	1
Ø250mm	max 21W - E27	1303.201B	1



Max lamp dimensions allowed
 8W - (Ø70 L110mm)
 15W - (Ø70 L160mm)
 21W - (Ø85 L180mm)
 Lamp not included

Nadir

Technical details


- Luminaire for wall or ceiling fixing, complete with spherical diffuser Ø150/200mm
- A2 stainless steel screws

Diffuser

- Non yellowing white PMMA (acrylic) diffuser

Base

- Reinforced thermoplastic base



Dimensions	Power	White	
Ø150mm	max 8W - E27	1305.001B	1
Ø200mm	max 11W - E27	1305.101B	1



Max lamp dimensions allowed
 8W - (Ø70 L110mm)
 11W - (Ø70 L130mm)
 Lamp not included











IP43
































IP40



SFERE AND ACCESSORIES

			
Bridge	Nadir	Spike Combo	Tower
			

Complying ECC standards					
Insulation class					
Voltage		220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz	220-240V 50/60Hz
Lamp holder		E27 - max 8W-Ø150 E27 - max 15W-Ø200 E27 - max 21W-Ø250 (lamp not included)	E27 - max 8W-Ø150 E27 - max 11W-Ø200 (lamp not included)	E27 - max 8W-Ø150 E27 - max 11W-Ø200 E27 - max 20W-Ø250 E27 - max 21W-Ø300 E27 - max 27W-Ø400 E27 - max 33W-Ø500 (lamp not included)	E27 - max 8W-Ø150 E27 - max 15W-Ø200 E27 - max 21W-Ø250
IP (Protection degree)		IP44	IP44	IP44	IP43-ceiling IP40-wall
IK (Impact resistance)		IK08	IK08	IK08	IK08
Year warranty					
 Pulsar	--	--	--	--	--
 Quasar	--	--	--	--	--
 Giubar	--	--	--	--	--
 Sun	--	--	--	--	--
 Palù	--	--	--	--	--
 Vico	--	--	--	--	--
 Jolly	--	--	--	--	--
 Mistral and coloured Mistral	--	--	--	--	--
 Comet	--	--	--	--	--
 Spike	--	--	--	--	--

